




DS铁硅铝/DF铁硅磁粉心电感系数表

DS /DF Series Powder cores Inductance factor table

除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.



产品型号 Part number	喷涂前 Before coating			喷涂后 After coating			截面积Ae (cm ²)	磁路长Le (cm)	体积Ve (cm ³)
	OD(mm)	ID(mm)	Ht(mm)	ODmax(mm)	IDmin(mm)	Htmax(mm)			
D□063□□□	6.35	2.79	2.79	6.99	2.79	3.43	0.047	1.361	0.064
D□068□□□	6.86	3.96	5.08	7.5	3.46	5.72	0.0488	1.65	0.1196
D□068□□□A	6.86	3.96	3.42	7.5	3.46	4.06	0.0725	1.65	0.0805
D□078□□□	7.87	3.92	3.18	8.51	3.43	3.82	0.0615	1.787	0.1099
D□097□□□	9.65	4.78	3.18	10.29	4.27	3.81	0.0752	2.18	0.1639
D□102□□□	10.20	5.08	3.96	10.8	4.57	4.57	0.1	2.38	0.238
D□103□□□	10.30	5.64	5.66	10.97	5.18	6.3	0.123	2.43	0.301
D□112□□□	11.20	6.35	3.96	11.89	5.89	4.57	0.0906	2.69	0.244
D□127□□□	12.70	7.62	4.75	13.5	7	5.45	0.114	3.12	0.356
D□127□□□B	12.70	7.62	6.35	13.5	7	7.15	0.1524	3.12	0.475
D□146□□□	14.60	8.5	5.5	15	8.1	5.9	0.1587	3.54	0.562
D□166□□□	16.60	10.2	6.35	17.4	9.5	7.1	0.192	4.11	0.789
D□173□□□	17.30	9.65	6.35	18	9	4.05	0.232	4.14	0.96
D□203□□□	20.30	12.7	6.35	21.1	12.1	7.1	0.226	5.09	1.15
D□229□□□	22.9	14	7.62	23.6	13.4	8.37	0.331	5.67	1.88
D□236□□□	23.6	14.4	8.89	24.3	13.7	9.7	0.388	5.88	2.28
D□270□□□	26.9	14.7	11.2	27.6	14.1	11.9	0.654	6.35	4.15
D□270□□□A	26.9	14.7	7.92	27.6	14.1	8.62	0.462	6.35	2.94
D□330□□□	33.0	19.9	10.7	33.8	19.3	10.7	0.672	8.15	5.48
D□358□□□	35.8	22.4	10.5	36.71	21.5	11.26	0.678	8.98	6.09
D□384□□□	38.4	21.5	8.26	39.4	20.86	9.02	0.657	9.38	6.16
D□400□□□	39.9	24.1	14.5	40.7	23.3	15.38	1.072	9.84	10.5
D□467□□□	46.7	24.1	18	47.64	23.32	18.92	1.99	10.74	21.37
D□468□□□	46.7	28.7	15.2	47.64	27.92	16.12	1.34	11.63	15.58
D□508□□□	50.8	31.8	13.3	51.8	30.8	14.4	1.251	12.73	15.93
D□571□□□	57.2	26.4	15.2	58	25.6	16	2.29	12.5	28.62
D□572□□□	57.2	35.6	14	58	34.74	14.86	1.444	14.3	20.65




DS铁硅铝/DF铁硅磁粉心磁环物理尺寸表

DS/DF Series Powder cores physical data

除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.




磁导率 peruuPerm	铁硅铝 Sendust	铁硅 Fe-Si	AL nH/N ²	OD mm	ID mm	Ht mm
26	DS063026	DF063026	10	6.35	2.79	2.79
60	DS063060	DF063060	24			
75	DS063075	DF063075	30			
90	DS063090	DF063090	36			
125	DS063125	DF063125	50			
26	DS068026	DF068026	14	6.86	3.96	5.08
60	DS068060	DF068060	33			
75	DS068075	DF068075	42			
90	DS068090	DF068090	50			
125	DS068125	DF068125	70			
26	DS068026A	DF068026A	10	6.86	3.96	3.42
60	DS068060A	DF068060A	22			
75	DS068075A	DF068075A	28			
90	DS068090A	DF068090A	34			
125	DS068125A	DF068125A	47			
26	DS078026	DF078026	12	7.87	3.96	3.18
60	DS078060	DF078060	25			
75	DS078075	DF078075	31			
90	DS078090	DF078090	37			
125	DS078125	DF078125	52			
26	DS097026	DF097026	12	9.65	4.78	3.18
60	DS097060	DF097060	25			
75	DS097075	DF097075	32			
90	DS097090	DF097090	38			
125	DS097125	DF097125	53			



除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.




磁导率 peruuPerm	铁硅铝 Sendust	铁硅 Fe-Si	AL nH/N ²	OD mm	ID mm	Ht mm
26	DS097026B	DF097026B	14	9.65	4.78	3.96
60	DS097060B	DF097060B	32			
75	DS097075B	DF097075B	40			
90	DS097090B	DF097090B	48			
125	DS097125B	DF097125B	66			
26	DS102026	DF102026	14	10.2	5.08	3.96
60	DS102060	DF102060	32			
75	DS102075	DF102075	40			
90	DS102090	DF102090	48			
125	DS102125	DF102125	66			
26	DS112026	DF112026	12	11.2	6.35	3.96
60	DS112060	DF112060	26			
75	DS112075	DF112075	32			
90	DS112090	DF112090	38			
125	DS112125	DF112125	53			
26	DS127026	DF127026	13	12.7	7.62	4.75
60	DS127060	DF127060	27			
75	DS127075	DF127075	34			
90	DS127090	DF127090	40			
125	DS127125	DF127125	56			
26	DS127026B	DF127026B	16	12.7	7.62	6.35
60	DS127060B	DF127060B	36			
75	DS127075B	DF127075B	45			
90	DS127090B	DF127090B	53			
125	DS127125B	DF127125B	76			



除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.




磁导率 pperruuPerm	铁硅铝 Sendust	铁硅 Fe-Si	AL nH/N ²	OD mm	ID mm	Ht mm
26	DS166026	DF166026	16	16.6	10.2	6.35
60	DS166060	DF166060	35			
75	DS166075	DF166075	43			
90	DS166090	DF166090	52			
125	DS166125	DF166125	72			
26	DS173026	DF173026	20	17.3	9.65	6.35
60	DS173060	DF173060	43			
75	DS173075	DF173075	53			
90	DS173090	DF173090	64			
125	DS173125	DF173125	89			
26	DS203026	DF203026	14	20.3	12.7	6.35
60	DS203060	DF203060	32			
75	DS203075	DF203075	41			
90	DS203090	DF203090	49			
125	DS203125	DF203125	68			
26	DS229026	DF229026	19	22.9	14	7.62
60	DS229060	DF229060	43			
75	DS229075	DF229075	54			
90	DS229090	DF229090	65			
125	DS229125	DF229125	90			
26	DS236060	DF236060	22	23.6	14.4	8.89
60	DS236060	DF236060	51			
75	DS236075	DF236075	63			
90	DS236090	DF236090	76			
125	DS236125	DF236125	105			



除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.




磁导率 peruuPerm	铁硅铝 Sendust	铁硅 Fe-Si	AL nH/N ²	OD mm	ID mm	Ht mm
26	DS270026	DF270026	32	26.9	14.7	11.2
60	DS270060	DF270060	75			
75	DS270075	DF270075	94			
90	DS270090	DF270090	113			
125	DS270125	DF270125	157			
26	DS330026	DF330026	28	33	19.9	10.7
60	DS330060	DF330060	61			
75	DS330075	DF330075	76			
90	DS330090	DF330090	91			
125	DS330125	DF330125	127			
26	DS358026	DF358026	24	35.8	22.4	10.5
60	DS358060	DF358060	56			
75	DS358075	DF358075	70			
90	DS358090	DF358090	84			
125	DS358125	DF358125	117			
26	DS384026	DF384026	23	38.4	21.5	8.28
60	DS384060	DF384060	53			
75	DS384075	DF384075	66			
90	DS384090	DF384090	79			
125	DS384125	DF384125	110			
26	DS400026	DF400026	35	39.9	24.1	14.5
60	DS400060	DF400060	81			
75	DS400075	DF400075	101			
90	DS400090	DF400090	121			
125	DS400125	DF400125	168			



除下表中的由标准模具产生的标准尺寸外
本公司还可以根据用户的要求定制其它尺寸
或者形状的产品

Customized sizes are welcome.



磁导率 peruuPerm	铁硅铝 Sendust	铁硅 Fe-Si	AL nH/N ²	OD mm	ID mm	Ht mm
26	DS467026	DF467026	59	46.7	24.1	18.0
60	DS467060	DF467060	135			
75	DS467075	DF467075	169			
90	DS467090	DF467090	202			
125	DS467125	DF467125	281			
26	DS468026	DF468026	37	46.7	28.7	15.2
60	DS468060	DF468060	86			
75	DS468075	DF468075	107			
90	DS468090	DF468090	128			
125	DS468125	DF468125	178			
26	DS508026	DF508026	32	50.8	31.8	13.5
60	DS508060	DF508060	73			
75	DS508075	DF508075	91			
90	DS508090	DF508090	109			
125	DS508125	DF508125	152			
26	DS571026	DF571026	65	57.2	35.6	15.2
60	DS571060	DF571060	138			
75	DS571075	DF571075	172			
90	DS571090	DF571090	207			
125	DS571125	DF571125	287			
26	DS572026	DF572026	33	57.2	35.6	14
60	DS572060	DF572060	75			
75	DS572075	DF572075	94			
90	DS572090	DF572090	112			
125	DS572125	DF572125	156			
26	DS740026	DF740026	89	74.1	45.8	35.0
60	DS740060	DF740060	206			
75	DS740075	DF740075	257			