




铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT14-26A	12.5	3.43	1.70	1.52	0.810	0.012	0.0098
DT14-52A	11.5						
DT16-1	4.4	4.06	1.98	1.52	0.930	0.015	0.014
DT16-2	2.2						
DT16-3	6.1						
DT16-6	1.9						
DT16-7	2.0						
DT16-8	6.0						
DT16-10	1.3						
DT16-15	5.5						
DT16-17	0.8						
DT16-18	9.5						
DT16-26	14.5						
DT16-40	12.5						
DT16-52	13.5						
DT20-1	5.2	5.08	2.24	1.78	1.15	0.023	0.026
DT20-2	2.5						
DT20-3	7.6						
DT20-6	2.2						
DT20-7	2.3						
DT20-8	7.8						
DT20-10	1.6						
DT20-15	6.5						
DT20-17	1.0						
DT20-18	13.0						
DT20-26	18.5						
DT20-40	16.0						
DT20-52	17.5						



铁粉芯产品尺寸目录



DT 106-26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT25-1	7.0	6.48	3.05	2.44	1.50	0.037	0.055
DT25-2	3.4						
DT25-3	10.0						
DT25-6	2.7						
DT25-7	2.9						
DT25-8	10.0						
DT25-10	1.9	6.48	3.05	2.44	1.50	0.037	0.055
DT25-15	8.5						
DT25-17	1.2						
DT25-18	17.0						
DT25-26	24.5						
DT25-40	20.5						
DT25-52	23.0	6.48	3.05	3.25	1.50	0.049	0.074
DT25-26B	34.0						
DT25-52C	16.7						
DT25-52F	33.0	6.48	3.05	3.17	1.50	0.048	0.073
DT26-8	24.0	6.73	2.67	4.83	1.47	0.090	0.133
DT26-18	41.5						
DT26-26	57.0						
DT26-52	56.0						
DT26-8A	19.0	6.73	2.67	3.90	1.47	0.073	0.107
DT26-18A	33.5						
DT26-26A	45.0						
DT27-2	3.3	7.11	3.84	3.25	1.71	0.047	0.080
DT27-6	2.7						
DT27-7	2.8						
DT27-8	11.5						
DT27-10	2.2						



铁粉芯产品尺寸目录



DT 106 -26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT37-18	19.0	9.53	5.21	3.25	2.31	0.064	0.147
DT37-26	28.5						
DT37-40	24.5						
DT37-52	26.0						
DT37-52B	40.0	9.53	5.21	5.0	2.31	0.098	0.226
DT37-18C	13.0	9.53	5.21	2.44	2.31	0.048	0.111
DT37-26C	20.0						
DT37-40C	17.0						
DT37-52C	18.0						
DT37-26D	40.0	9.53	5.21	7.0	2.31	0.138	0.319
DT38-2	7.4	9.53	4.45	4.83	2.18	0.114	0.248
DT38-8	20.0						
DT38-18	36.0						
DT38-26	49.0						
DT38-40	41.5						
DT38-52	49.0						
DT38-2B	8.5	9.53	4.45	5.60	2.18	0.132	0.287
DT38-26B	56.0						
DT40-26	36.0	10.2	5.21	4.14	2.41	0.093	0.223
DT40-52	36.0						
DT44-1	10.5	11.2	5.82	4.04	2.68	0.099	0.266
DT44-2	5.2						
DT44-3	18.0						
DT44-6	4.2						
DT44-7	4.6						
DT44-8	18.0						
DT44-10	3.3						
DT44-15	16.0						



铁粉芯产品尺寸目录



DT 106 -26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT44-17	1.85	11.2	5.82	4.04	2.68	0.099	0.266
DT44-18	25.5						
DT44-26	37.0						
DT44-40	31.0						
DT44-52	35.0						
DT44-52B	43.0	11.2	5.82	4.67	2.68	0.119	0.319
DT44-8C	28.0	11.2	5.82	6.35	2.68	0.157	0.434
DT44-18C	40.0						
DT44-52C	55.0						
DT44-52D	70.0	11.2	5.82	8.59	2.68	0.219	0.587
DT50-1	10.0	12.7	7.70	4.83	3.19	0.112	0.358
DT50-2	4.9						
DT50-3	17.5						
DT50-6	4.0						
DT50-7	4.3						
DT50-8	17.5						
DT50-10	3.1						
DT50-15	13.5						
DT50-17	1.8						
DT50-18	24.0						
DT50-26	33.0						
DT50-38	37.5						
DT50-40	29.5						
DT50-52	33.0						
DT50-8B	23.0	12.7	7.70	6.35	3.19	0.148	0.471
DT50-18B	32.0						
DT50-26B	43.5						
DT50-38B	49.5						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nl I/N ²)	OD(mm)	ID(mm)	l lt(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT50-40B	38.5	12.7	7.70	6.35	3.19	0.148	0.471
DT50-52B	43.5						
DT50-8C	28.3	12.7	7.70	8.51	3.19	0.200	0.637
DT50-26C	61.0						
DT50-52C	60.0						
DT50-18D	47.5	12.7	7.70	9.53	3.19	0.223	0.711
DT50-26D	72.0						
DT50-40D	59.0						
DT50-52D	66.0						
DT50-26E	37.0	12.7	7.70	5.46	3.19	0.128	0.407
DT51-2B	13.8	12.7	5.08	7.92	2.79	0.282	0.786
DT51-6B	10.2						
DT51-8B	37.0						
DT51-18C	55.0	12.7	5.08	6.35	2.79	0.223	0.622
DT51-26C	83.0						
DT51-40C	67.0						
DT51-52C	75.0						
DT57-52	49.5	14.6	6.93	4.98	3.38	0.178	0.601
DT57-52A	66.0	14.6	6.93	6.68	3.38	0.239	0.805
DT60-2	6.5	15.2	8.53	5.94	3.74	0.187	0.699
DT60-6	5.5						
DT60-8	19.0						
DT60-10	3.9						
DT60-18	34.5						
DT60-26	50.0						
DT60-40	41.5						
DT60-52	47.0						
DT60-18B	47.0	15.2	8.53	7.25	3.74	0.228	0.853



铁粉芯产品尺寸目录



DT 106 -26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT60-26B	61.0	15.2	8.53	7.25	3.74	0.228	0.853
DT60-52B	64.0						
DT60-26D	97.0	15.2	8.53	11.9	3.74	0.374	1.40
DT60-52D	94.0						
DT68-1	11.5	17.5	9.40	4.83	4.23	0.179	0.759
DT68-2	5.7						
DT68-3	19.5						
DT68-6	4.7						
DT68-7	5.2						
DT68-8	19.5						
DT68-10	3.2						
DT68-15	18.0						
DT68-17	2.1						
DT68-18	29.0						
DT68-26	43.5						
DT68-38	45.0						
DT68-40	35.0						
DT68-52	40.0						
DT68-2A	7.0	17.5	9.40	6.35	4.23	0.242	1.03
DT68-3A	26.0						
DT68-6A	6.2						
DT68-7A	7.3						
DT68-8A	26.0						
DT68-18A	39.5						
DT68-26A	58.0						
DT68-38A	61.0						
DT68-40A	47.0						
DT68-52A	54.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nl I/N ²)	OD(mm)	ID(mm)	l lt(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT68-26B	79.0	17.5	9.40	8.70	4.23	0.333	1.41
DT68-52B	75.0						
DT68-26C	48.0	17.5	9.40	5.10	4.23	0.194	0.828
DT68-2D	11.4	17.5	9.40	9.53	4.23	0.358	1.52
DT68-8D	39.0						
DT68-26D	87.0						
DT68-40D	70.0						
DT68-52D	80.0						
DT72-2	12.8	18.3	7.11	6.6	4.01	0.349	1.40
DT72-3	36.0						
DT72-7	9.5						
DT72-8	36.0						
DT72-18	60.0						
DT72-26	90.0						
DT72-40	71.0						
DT72-52	82.0						
DT72-26B	112.0	18.3	7.11	8.20	4.01	0.434	1.74
DT80-1	11.5	20.2	12.6	6.35	5.14	0.231	1.19
DT80-2	5.5						
DT80-3	18.0						
DT80-6	4.5						
DT80-7	5.5						
DT80-8	18.0						
DT80-10	3.2						
DT80-15	17.0						
DT80-17	2.2						
DT80-18	31.0						
DT80-26	46.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT80-38	48.0	20.2	12.6	6.35	5.14	0.231	1.19
DT80-40	39.5						
DT80-52	42.0						
DT80-7B	8.4	20.2	12.6	9.53	5.14	0.347	1.78
DT80-8B	29.5						
DT80-18B	46.5						
DT80-26B	71.0						
DT80-38B	72.0						
DT80-40B	59.0						
DT68-52B	63.0						
DT80-26D	92.0	20.2	12.6	12.7	5.14	0.453	2.33
DT80-40D	79.0						
DT80-52D	83.0						
DT90-8	30.0	22.9	14.0	9.53	5.78	0.395	2.28
DT90-18	47.0						
DT90-26	70.0						
DT90-38	73.0						
DT90-40	57.0						
DT90-52	64.0						
DT90-26A	33.0	22.9	14.0	4.50	5.78	0.190	1.10
DT90-26B	82	22.9	14.0	11.2	5.78	0.464	2.68
DT91-26	77.5	23.0	11.0	8.00	5.34	0.46	2.43
DT93-26	84.0	23.9	12.0	9.50	5.64	0.54	3.03
DT93-52A	56.0	23.9	12.0	6.00	5.636	0.339	1.91
DT94-1	16.0	23.9	14.2	7.92	5.97	0.362	2.16
DT94-2	8.4						
DT94-3	24.8						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT94-6	7.0	23.9	14.2	7.92	5.97	0.362	2.16
DT94-8	25.0						
DT94-10	5.8						
DT94-14	10.0						
DT94-15	20.0						
DT94-17	2.9						
DT94-18	42.0						
DT94-26	60.0						
DT94-38	65.0						
DT94-40	49.0						
DT94-52	57.0	23.9	12.6	9.53	5.72	0.510	2.91
DT95-26B	84.0						
DT95-52B	84.0						
DT106-1	28.0	26.9	14.5	11.1	6.49	0.659	4.28
DT106-2	13.5						
DT106-3	45.0						
DT106-6	11.6						
DT106-7	13.3						
DT106-8	45.0						
DT106-10	8.5	26.9	14.5	11.1	6.49	0.659	4.28
DT106-14	17.0						
DT106-15	34.5						
DT106-17	5.1						
DT106-18	70.0						
DT106-26	93.0						
DT106-28	30.0						
DT106-30	30.0						
DT106-33	40.0						



铁粉芯产品尺寸目录



DT 106 -26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT106-34	40.0	26.9	14.5	11.1	6.49	0.659	4.28
DT106-35	40.0						
DT106-38	108.0						
DT106-40	81.0						
DT106-52	95.0						
DT106-18A	49.0	26.9	14.5	7.92	6.49	0.461	3.00
DT106-26A	67.0						
DT106-40A	58.0						
DT106-52A	67.0						
DT106-18B	91.0						
DT106-26B	124.0	26.9	14.5	14.6	6.49	0.858	5.57
DT106-40B	106.0						
DT106-52B	124.0						
DT108-26	112.0	27.5	13.5	11.5	6.44	0.76	4.92
DT124-26	58.0	31.6	18.0	7.11	7.75	0.459	3.55
DT130-1	20.0	33.0	19.8	11.1	8.28	0.698	5.78
DT130-2	11.0						
DT130-3	35.0						
DT130-6	9.6						
DT130-7	10.3						
DT130-8	35.0						
DT130-14	14.0						
DT130-15	25.0						
DT130-17	4.0						
DT130-18	58.0						
DT130-26	81.0	33.0	19.8	11.1	8.28	0.698	5.78
DT130-28	25.0						
DT130-30	25.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/N ²)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT130-33	33.5	33.0	19.8	11.1	8.28	0.698	5.78
DT130-34	33.5						
DT130-35	33.5						
DT130-38	90.0						
DT130-40	69.0						
DT130-52	79.0						
DT130-26A	41.0	33.0	19.8	5.72	8.28	0.361	2.99
DT130-40A	34.0						
DT131-8	52.5	33.0	16.3	11.1	7.72	0.885	6.84
DT131-18	79.0	33.0	16.3	11.1	7.72	0.885	6.84
DT131-26	116.0						
DT131-33	46.5						
DT131-34	46.5						
DT131-35	46.5						
DT131-40	93.0						
DT131-52	108.0						
DT131-52B	131	33.0	17.8	15.4	7.96	1.17	8.89
DT132-8	48.0	33.0	17.8	11.1	7.96	0.805	6.41
DT132-26	103.0						
DT132-40	83.0						
DT132-52	95.0						
DT132-26A	74.0	33.0	17.8	7.92	7.96	0.574	4.57
DT141-26	75.0	35.9	22.4	10.5	9.14	0.674	6.16
DT141-40	60.0						
DT141-52	69.0						
DT150-8	41.0	38.4	21.5	11.1	9.38	0.887	8.31
DT150-18	65.0						
DT150-26	96.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/μ)	OD(mm)	ID(mm)	Ht (mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT150-40	78.0	38.4	21.5	11.1	9.38	0.887	8.31
DT150-52	89.0						
DT150-26A	66.0	38.4	21.5	8.26	9.38	0.657	6.16
DT150-38A	74.5	38.4	21.5	8.26	9.38	0.657	6.16
DT157-1	32.0	39.9	24.1	14.5	10.1	1.06	10.7
DT157-2	14.0						
DT157-3	42.0						
DT157-6	11.5						
DT157-8	42.0						
DT157-14	17.5						
DT157-17	5.3						
DT157-18	73.0						
DT157-26	100.0						
DT157-28	31.2						
DT157-30	31.5						
DT157-33	43.5						
DT157-34	43.5						
DT157-35	43.5						
DT157-38	112.0						
DT157-40	86.0						
DT157-52	99.0						
DT175-2	15.0	44.5	27.2	16.5	11.2	1.34	15.0
DT175-6	12.5						
DT175-8	48.0						
DT175-18	82.0						
DT175-26	105.0						
DT175-40	90.0						
DT175-52	105.0						



铁粉芯产品尺寸目录




DT 106 -26 A

Letter Indicates Alternate Height
DMEGC Mix No.
OD in 100th inches
"T" For Toroid

Part No.	AL(nH/R)	OD(mm)	ID(mm)	Ht (mm)	len	Ae(cm ²)	Ve(cm ³)
DT184-1	50.0	46.7	24.1	18.0	11.2	1.88	21.0
DT184-2	24.0						
DT184-3	72.0						
DT184-6	19.5						
DT184-8	72.0						
DT184-14	28.0						
DT184-17	8.7						
DT184-18	116.0						
DT184-26	169.0	46.7	24.1	18.0	11.2	1.88	21.0
DT184-28	51.0						
DT184-30	51.0						
DT184-33	70.0						
DT184-34	70.0						
DT184-35	70.0						
DT184-40	143.0						
DT184-52	159.0	50.8	31.8	14.0	13.0	1.27	16.4
DT200-1	25.0						
DT200-2	12.0						
DT200-3	42.5						
DT200-6	10.4						
DT200-7	10.5						
DT200-8	42.5						
DT200-18	67.0						
DT200-26	92.0						
DT200-33	37.0						
DT200-34	37.0						
DT200-35	37.0						
DT200-40	49.0						



铁粉芯产品尺寸目录



DT 106 -26 A

Letter Indicates Alternate Height

DMEGC Mix No.


OD in 100th inches

"T" For Toroid

Part No.	AL(nH/R)	OD(mm)	ID(mm)	Ht (mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT200-52	92.0	50.8	31.8	14.0	13.0	1.27	16.4
DT200-2B	21.8	50.8	31.8	25.4	13.0	2.32	30.0
DT200-8B	78.5						
DT200-18B	120.0						
DT200-26B	160.0						
DT200-28B	51.0						
DT200-30B	51.0						
DT200-33B	70.0						
DT200-34B	70.0						
DT200-35B	70.0						
DT200-40B	142.0						
DT200-52B	155.0						
DT201-8	104.0	50.8	24.1	22.2	11.8	2.81	33.2
DT201-18	164.0						
DT201-26	224.0						
DT201-40	194.0	50.8	24.1	22.2	11.8	2.81	33.2
DT201-52	224.0						
DT223-14	32	57.6	28.0	17.5	13.44	2.46	33.07
DT224-26	155	57.2	31.8	19.1	14.0	2.31	32.2
DT224-52	155						
DT225-2	12.0	57.2	35.7	14.0	14.6	1.42	20.7
DT225-3	42.5						
DT225-6	10.4						
DT225-8	42.5						
DT225-18	67.0						
DT225-26	98.0						
DT225-28	28.0						
DT225-30	28.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/R)	OD(mm)	ID(mm)	Ht(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT225-33	37.0	57.2	35.7	14.0	14.6	1.42	20.7
DT225-34	37.0						
DT225-35	37.0						
DT225-40	78.0						
DT225-52	92.0						
DT225-2B	21.5	57.2	35.7	25.4	14.6	2.59	37.8
DT225-14B	28.0						
DT225-26B	160.0						
DT225-33B	67.0						
DT225-34B	67.0						
DT225-35B	67.0						
DT225-52B	155.0						
DT225-26C	120.0	57.2	35.7	18.5	14.58	1.89	27.56
DT225-33C	49.0						
DT225-34C	49.0						
DT225-35C	49.0						
DT225-52C	112.0						
DT249-26	203.0	63.5	35.7	25.4	15.6	3.36	52.3
DT249-33	89.0						
DT249-34	89.0						
DT249-35	89.0						
DT249-52	203.0	63.5	35.7	25.4	15.6	3.36	52.3
DT250-8	113.0	63.5	31.8	25.4	15.0	3.84	57.4
DT250-14	43.0						
DT250-18	177.0						
DT250-26	242.0						
DT250-28	71.0						
DT250-30	71.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/μ)	OD(mm)	ID(mm)	Ht (mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT250-33	106.0	63.5	31.8	25.4	15.0	3.84	57.4
DT250-34	106.0						
DT250-35	106.0						
DT250-40	194.0						
DT250-52	242.0						
DT250-33A	53.0	63.5	31.8	12.7	15.0	1.92	28.7
DT250-34A	53.0						
DT250-35A	53.0						
DT250-33B	159.0	63.5	31.8	38.1	15.0	5.74	86.09
DT250-34B	159.0						
DT250-35B	159.0						
DT252-52	210	64.0	40.0	32.0	16.3	3.65	59.56
DT300-2	11.4	77.2	49.0	12.7	19.8	1.68	33.4
DT300-8	37.0						
DT300-18	58.0						
DT300-26	80.0						
DT300-28	23.0						
DT300-30	23.0						
DT300-33	34.5						
DT300-34	34.5						
DT300-35	34.5						
DT300-40	71.0						
DT300-52	80.0	77.2	49.0	25.4	19.8	3.38	67.0
DT300-2D	22.8						
DT300-14D	28.0						
DT300-18D	116.0						
DT300-26D	160.0						
DT300-28D	46.0						



铁粉芯产品尺寸目录




DT 106 -26 A

- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/R)	OD(mm)	ID(mm)	Ht (mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT300-30D	46.0	77.2	49.0	25.4	19.8	3.38	67.0
DT300-33D	69.0						
DT300-34D	69.0						
DT300-35D	69.0						
DT300-40D	142.0						
DT300-52D	160.0						
DT400-2	18.0	102	57.2	16.5	25.0	3.46	86.4
DT400-8	60.0						
DT400-18	96.0						
DT400-26	131.0						
DT400-28	40.5						
DT400-30	40.5						
DT400-33	55.0						
DT400-34	55.0						
DT400-35	55.0						
DT400-40	115.0						
DT400-52	131.0						
DT400-26B	205.0	102	57.2	25.4	25.0	5.35	133
DT400-2D	36.0	102	57.2	33.0	25.0	6.85	171
DT400-14D	45.5						
DT400-26D	262.0						
DT400-28D	81.0						
DT400-30D	81.0						
DT400-33D	110.0						
DT400-34D	110.0						
DT400-35D	110.0						
DT400-40D	230.0						
DT520-2	20.0	132	78.2	20.3	33.1	10.5	347



铁粉芯产品尺寸目录



DT 106 -26 A



- Letter Indicates Alternate Height
- DMEGC Mix No.
- OD in 100th inches
- "T" For Toroid

Part No.	AL(nH/ℓ)	OD(mm)	ID(mm)	Ht (mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DT520-8	65.0	132	78.2	20.3	33.1	10.5	347
DT650-2	58.0	165	88.9	50.8	39.9	18.4	734
DT650-8	200.0						

铁粉芯产品尺寸目录

DE 75 - 26

- DMEGC Mix No
- "A" dimension in 100th inches
- DMEGC E Core



Part No.	AL(nH/ℓ)	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)	G(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DE49-8	20.5	12.7	11.1	3.18	7.92	3.18	9.53	2.86	0.101	0.288
DE49-18	29.0									
DE49-26	38.0									
DE49-52	38.0									
DE50-26	48.0	12.8	12.8	3.8	9.0	3.8	9.0	3.08	0.143	0.441
DE50-52	47.0									
DE65-8	30.5	16.4	16.3	4.62	12.0	4.62	11.3	3.98	0.224	0.8161
DE65-26	58.0									



Part No.	AL(nH/ℓ)	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)	G(mm)	le(cm)	Ae(cm²)	Ve(cm³)
DE65-40	51.0	16.4	16.3	4.62	12.0	4.62	11.3	3.98	0.224	0.8161
DE65-52	56.0									
DE74-40	55.0	19.1	16.5	4.75	12	4.75	14.3	4.28	0.226	0.953
DE75-2	14.5	19.1	16.1	4.75	11.6	4.75	14.3	4.20	0.226	0.936
DE75-8	33.5									
DE75-26	64.0									
DE75-40	55.0									
DE75-52	59.0									
DE80-8	38.0	20.2	19.9	5.84	14.0	5.84	14.6	4.84	0.333	1.63
DE80-26	73.0									
DE80-52	73.0									
DE99-8	51.0	25.4	25.4	7.29	17.5	7.29	17.7	6.08	0.548	3.38
DE99-26	96.0									
DE99-52	96.0									
DE100-2	21.0	25.4	19.1	6.35	12.7	6.35	19.1	5.08	0.403	2.05
DE100-8	48.0									
DE100-18	65.0									
DE100-26	92.0									
DE100-40	81.0									
DE100-52	85.0	25.4	19.1	6.35	12.7	6.35	19.1	5.08	0.403	2.05
DE101-2	53.0	25.9	19.1	14.1	8.89	6.35	19.4	3.93	0.895	2.36
DE101-8										
DE118-26	90.0	30.1	30.1	7.06	19.9	7.06	19.9	7.14	0.498	4.60
DE118-40	80.0									
DE118-52	90.0									
DE125-26	134.0	31.8	30.5	9.6	21.2	9.6	22.5	7.45	0.922	6.82
DE125-40	113.0									
DE137-2	32.0	34.9	29.1	9.53	19.6	9.53	25.4	7.40	0.907	6.72
DE137-8	67.0									
DE137-18	100.0									
DE137-26	134.0									
DE137-40	113.0									
DE137-52	131.0									
DE145-18	112.0	37.0	34.8	10.8	24.1	10.8	26.3	8.50	1.17	9.89
DE145-26	146.0									
DE145-52	146.0									
DE162-8	105.0	41.3	34.1	12.7	21.4	12.7	28.6	8.41	1.61	13.6
DE162-18	149.0									
DE162-26	210.0									





铁粉芯产品尺寸目录

DE 75 - 26

DMEGC Mix No

"A" dimension in
100th inches

DMEGC E Core



Part No.	AL(nH/ℓ)	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)	G(mm)	le(cm)	Ae(cm ²)	Ve(cm ³)
DE162-40	175.0	41.3	34.1	12.7	21.4	12.7	28.6	8.41	1.61	13.6
DE162-52	199.0									
DE168-2	43.5	42.8	42.2	15.0	30.7	12.0	30.7	10.4	1.81	18.5
DE168-8	97.0									
DE168-18	135.0									
DE168-26	195.0									
DE168-40	163.0									
DE168-52	179.0	42.8	42.2	15.0	30.7	12.0	30.7	10.4	1.81	18.5
DE168-2A	55.0	42.8	42.2	20.0	30.7	12.0	30.7	10.4	2.41	24.6
DE168-8A	116.0									
DE168-18A	170.0									
DE168-26A	232.0									
DE168-40A	196.0									
DE168-52A	230.0									
DE187-8	144.0	47.4	39.4	15.7	24.1	15.7	31.8	9.5	2.48	23.3
DE187-18	213.0									
DE187-26	265.0									
DE187-40	240.0									
DE187-52	265.0									
DE220-2	69.0	56.1	55.4	20.8	38.3	17.3	38.6	13.2	3.60	47.7
DE220-8	143.0									
DE220-18	196.0									
DE220-26	275.0									
DE220-30	107.0									
DE220-34	136.0									
DE220-40	240.0									
DE220-52	262.0									
DE225-2	76.0	56.9	47.6	18.9	29.0	18.9	38.1	11.5	3.58	40.8




铁粉芯产品尺寸目录

Part No.	AL(nH/ℓ)	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)	G(mm)	le(cm)	Ae(cm²)	Ve(cm³)
DE225-8	173.0	56.9	47.6	18.9	29.0	18.9	38.1	11.5	3.58	40.8
DE225-18	240.0									
DE225-26	325.0									
DE225-40	290.0									
DE225-52	325.0									
DE305-2	75.0	77.5	77.5	23.7	53.8	23.7	53.8	18.5	5.62	104
DE305-8	156.0	77.5	77.5	23.7	53.8	23.7	53.8	18.5	5.62	104
DE305-18	222.0									
DE305-26	287.0									
DE305-30	124.0									
DE305-34	150.0									
DE305-40	255.0									
DE305-52	287.0									
DE305-2A	132.0	77.5	77.5	31.6	53.8	23.7	53.8	18.5	7.49	139
DE305-8A	208.0									
DE305-18A	280.0									
DE305-26A	382.0									
DE305-30A	165.0									
DE305-40A	339.0									
DE305-52A	382.0									
DE450-2	132.0	114	92.4	34.9	57.2	34.9	79.3	22.9	12.2	280
DE450-8	260.0									
DE450-18	400.0									
DE450-26	540.0									
DE450-30	235.0									
DE450-34	300.0									
DE450-40	480.0									
DE450-52	500.0									
DE450-8H	140.0	114	92.4	17.5	57.2	34.9	79.3	22.9	6.10	140
DE450-18H	200.0									
DE450-52H	270.0									



铁粉芯产品尺寸目录

DP 16 32 - 140



Part No.	AL(nH/N)	OD(mm)	L (cm)
DP825-140	7.6	3.45	19.7
DP1224-140	12.5	4.83	19.1
DP1624-140	16.0	6.35	19.1
DP1632-140	16.0	6.35	25.4
DP1640-140	15.0	6.48	31.8
DP2032-240	20.0	7.95	25.4
DP2040-240	20.0	7.95	31.8
DP2432-240	25.5	9.53	25.4
DP2440-240	26.5	9.53	31.8
DP2448-240	25.0	9.53	38.1
DP2456-240	22.5	9.53	44.5
DP3240-140	34.5	12.7	31.8
DP3248-140	33.0	12.7	38.1
DP3256-140	32.0	12.7	44.5
DP3264-140	31.0	12.7	50.8
DP4040-140	37.5	15.9	31.8
DP4048-140	41.5	15.9	38.1
DP4876-140	49.5	19.1	60.3
DP6464-140	80.0	25.4	50.8