





EC 型磁芯



EC(EERETD) 型磁芯 CORES

型号 Type	尺寸 Dimension (mm)						重量 (g)
	A	B	C	D	E min	F	
EC19/23	20.0±0.5	11.80±0.20	7.40±0.30	7.40±0.30	14.80	7.90±0.20	13.0
EC25/10	25.4±0.6	5.1±0.30	9.7±0.30	8.15±0.30	18.20	3.40±0.30	10.8
EC28/19(H)	28.5±0.6	9.70±0.20	11.20±0.30	9.70±0.30	21.30	5.20±0.30	24.2
EC2820	28.5±0.6	10.00±0.15	11.20±0.30	9.70±0.30	21.30	6.50±0.20	24.0
EC28/28 (H)	28.5±0.6	14.00±0.30	11.20±0.30	9.70±0.30	21.30	9.70±0.30	30.8
EC28/28B	30.5±0.5	14.60±0.50	11.40±0.25	9.90±0.25	23.50	10.30±0.30	31.5
EC28/34	28.5±0.5	17.00±0.40	11.20±0.30	9.70±0.30	21.30	12.50±0.20	35.0
EC29/28	29.8±0.6	14.00±0.40	11.20±0.30	9.70±0.30	22.00	9.85±0.30	31.1
ETD29/32	29.8±0.6	15.80±0.30	9.50±0.30	9.50±0.30	22.00	11.20±0.30	31.0
EC29/34	29.8±0.6	17.00±0.30	11.20±0.30	9.70±0.30	22.00	12.50±0.30	36.0



型号 Type	尺寸 Dimension(mm)						重量 (g)
	A	B	C	D	E min	F	
EC29/34A	29.6±0.6	17.1±0.3	11.4±0.3	9.9±0.25	22.00	12.7±0.3	35.5
EC3013S	30.0±0.6	6.70±0.20	20.00±0.30	11.0±0.20	26.4±0.5	4.0±0.20	24.3
EC30/16 (H)	30.0±0.5	8.00±0.20	20.00±0.30	11.00±0.20	26.0±0.4	5.30±0.20	31.6
EC30/19	30.0±0.5	9.40±0.25	20.30±0.30	13.20±0.25	25.30	6.60±0.20	38.7
EC3028	30.5±0.6	14.00±0.30	11.50±0.30	9.90±0.30	23.50	9.85±0.30	31.4
EC3038	30.5±0.6	19.10±0.20	11.50±0.30	9.90±0.30	23.50	14.40±0.30	40.6
EC31/13	31.50±0.50	6.35±0.15	20.3±0.3	13.3±0.2	27.0±0.5	3.7±0.15	31.8
EC31/20 (H)	31.7±0.5	10.20±0.40	20.30±0.30	13.30±0.50	26.50	7.50±0.30	40.6
EC3118W	31.0±0.50	8.90±0.15	12.40±0.20	5.15±0.15	24.0±0.50	11.0±0.20	23.7
EC31/24N (H)	31.5±0.5	12.20±0.20	20.30±0.30	13.30±0.30	26.9±0.4	9.10±0.20	46.1
EC3335 (H)	33.0±0.6	17.30±0.30	14.00±0.25	12.50±0.25	24.70	12.80±0.25	54.0
EC3435B (H)	34.2±0.8	17.30±0.20	10.80±0.30	10.80±0.30	25.10	12.10±0.30	43.0
EC3435K (H)	35.2±0.8	17.30±0.20	10.80±0.30	10.80±0.30	26.60	12.10±0.30	43.4
EC35/31 (H)	35.3±0.7	15.20±0.30	11.20±0.30	11.10±0.30	26.00	10.10±0.30	41.8
EC35/42 (H)	35.3±0.7	21.20±0.30	11.30±0.25	11.20±0.30	25.60	15.20±0.30	55.8
EC35/43 (H)	35.3±0.5	21.50±0.30	11.30±0.30	11.20±0.30	26.00	15.50±0.30	56.7
EC36/13	36.0±0.6	6.35±0.20	20.30±0.30	13.30±0.30	31.0±0.6	3.45±0.20	35.0
EC36/18	36.0±0.6	9.55±0.20	20.30±0.30	13.30±0.30	31.0±0.6	6.90±0.20	41.2
EC36/43	36.2±0.5	21.60±0.40	11.30±0.30	11.30±0.30	27.50	15.60±0.30	57.0
EC39/40 (H)	39.1±0.9	20.20±0.40	12.50±0.30	12.50±0.30	30.1±0.8	14.80±0.40	64.0
EC39/42 (H)	39.2±0.9	21.00±0.30	12.50±0.30	12.50±0.30	30.1±0.8	16.00±0.30	65.0
EC39/43 (H)	39.2±0.9	21.50±0.40	12.50±0.30	12.50±0.30	30.1±0.8	16.30±0.30	66.0
EC39/44 (H)	39.2±0.9	22.30±0.30	12.50±0.30	12.50±0.30	30.1±0.8	17.30±0.30	68.0
EC39/45 (H)	39.2±0.9	22.70±0.40	12.50±0.30	12.50±0.30	30.1±0.8	17.40±0.40	69.0
EC40-15	40.0±1.0	21.50±0.30	15.00±0.30	14.00±0.30	30.20	15.40±0.30	85.0
EC40/42 (H)	40.0±1.0	21.00±0.50	13.30±0.30	13.30±0.30	28.75	14.50±0.40	77.6
EC40/45 (H)	40.0±1.0	22.50±0.50	13.30±0.30	13.30±0.40	29.00	15.90±0.40	83.4
EC40/46 (H)	40.0±1.0	23.00±0.40	13.30±0.30	13.30±0.40	29.00	16.40±0.30	86.1
EC40/48 (H)	40.0±1.0	24.00±0.50	13.30±0.30	13.30±0.40	28.00	17.00±0.30	88.7
EC41/44 (H)	41.7±1.0	22.10±0.40	13.30±0.30	13.30±0.40	29.50	15.80±0.30	84.2
EC41/45 (H)	41.5±1.0	22.50±0.30	13.30±0.30	13.30±0.30	29.50	15.80±0.30	85.4
EC4215	42.0±0.7	22.50±0.30	15.30±0.30	15.30±0.30	30.80	15.50±0.30	108.4
EC421541 (H)	42.0±0.7	20.50±0.30	14.80±0.30	14.80±0.30	31.60	14.80±0.30	88.6
EC42/33/20 (H)	42.0±1.0	16.50±0.30	19.60±0.40	17.25±0.30	32.3±0.8	10.50±0.30	102.4
EC42/42/20 (H)	42.0±1.0	21.60±0.30	19.60±0.40	17.25±0.30	32.8±0.5	15.65±0.25	122.8



型号 Type	尺寸 Dimension(mm)						重量 (g)
	A	B	C	D	E min	F	
EC42/45	42.0±0.6	22.40±0.20	15.50±0.25	15.50±0.25	29.40	15.40±0.30	104.9
EC4347	43.3±0.6	23.80±0.30	15.00±0.30	15.00±0.30	32.00	16.80±0.30	106.0
EC4445	44.0±1.0	22.30±0.20	14.80±0.40	14.80±0.40	33.3±0.8	16.50±0.40	96.0
EC49/50 (H)	49.0±1.0	25.00±0.30	16.30±0.40	16.30±0.40	36.40	18.30±0.40	132.8
EC49/54	49.0±1.0	27.20±0.30	17.00±0.20	17.00±0.20	36.40	18.80±0.40	159.2
EC53/46 (H)	53.2±0.8	23.20±0.30	21.50±0.30	20.00±0.30	38.70	16.30±0.30	190.0
EC54/19	54.2±1.0	27.50±0.30	18.90±0.40	18.90±0.40	40.50	20.20±0.30	192.0
EC59/62	59.8±1.3	31.00±0.50	21.65±0.40	21.65±0.40	43.60	22.40±0.50	290.0

型号 Type	有效参数 Effective parameter				AL 值 AL(nH/N ²)
	C _i	Le	Ae	Ve	GP4
EC19/23	1.020	49.60	45.30	2230	1450±25%
EC25/10	0.650	31.07	47.77	1484	2550±25%
EC28/19	0.640	47.45	73.80	4421	2600±25%
EC2820	0.600	49.80	73.80	4008	2500±25%
EC28/28	0.850	64.70	75.30	5837	2500±25%
EC28/28B	0.900	69.65	76.90	6219	2800±25%
EC28/34	1.030	76.15	73.80	6735	2400±25%
EC29/28	0.890	62.25	73.86	5946	2600±25%
ETD29/32	1.000	71.55	70.84	5851	2600±25%
EC29/34	1.040	76.85	73.86	7034	2100±25%
EC29/34A	1.01	77.75	76.94	6793	2500±25%
EC3013S	0.363	39.00	107.20	4185	
EC30/16	0.554	52.70	94.98	5094	4300±25%
EC30/19	0.426	58.30	136.77	6475	5600±25%
EC3028	0.780	66.66	84.00	5599	
EC3038	0.990	85.68	84.00	7197	
EC3113	0.33	39.67	120.35	4774.3	6000±25%
EC31/20	0.454	63.15	138.85	7141	4400±25%
EC3118W	0.480	50.30	93.60	4703	2900±25%
EC31/24N	0.503	69.95	138.85	8191	4660±25%
EC3335	0.669	82.15	122.65	10272	3400±25%
EC3435B	0.867	79.40	91.56	8304	2400±25%
EC3435K	0.878	80.40	91.56	8417	2800±25%
EC35/31	0.743	71.95	96.71	8090	3100±25%
EC35/42	0.918	92.05	100.23	11166	2700±25%
EC35/43	0.934	93.65	100.23	11151	2800±25%
EC36/13	0.370	51.45	138.85	5897	5600±25%
EC36/18	0.469	65.25	138.85	7190	5000±25%
EC36/43	0.953	95.55	100.23	11103	2500±25%



型号 Type	有效参数 Effective parameter				AL 值 AL (nH/N ²)
	C _i	Le	Ae	Ve	GP4
EC39/40	0.772	94.75	122.65	12340	2600±25%
EC39/42	0.818	100.35	122.65	12465	2800±25%
EC39/43	0.827	101.55	122.65	12802	2800±25%
EC39/44	0.860	105.55	122.65	13079	2800±25%
EC39/45	0.863	105.95	122.65	13420	2800±25%
EC40-15	0.640	99.10	153.80	17737	4000±25%
EC40/42	0.672	93.40	138.85	15282	3600±25%
EC40/45	0.714	99.25	138.85	16090	3500±25%
EC40/46	0.729	101.25	138.85	16375	3500±25%
EC40/48	0.739	102.65	138.85	17595	3650±25%
EC41/44	0.715	99.35	138.35	16532	3500±25%
EC41/45	0.715	99.35	138.85	16827	4200±25%
EC4215	0.546	100.45	138.76	20005	4000±25%
EC42/33/20	0.355	82.92	233.58	18776	6800±25%
EC42/42/20	0.445	104.00	233.58	21757	5500±25%
EC42/45	0.523	98.75	188.59	20938	5000±25%
EC4347	0.610	107.20	176.00	20256	4000±25%
EC4445	0.620	106.70	171.94	18454	3500±25%
EC49/50	0.550	115.90	211.00	24416	4200±25%
EC49/54	0.529	120.10	226.85	30578	4500±25%
EC53/46	0.363	114.10	314.00	36043	6400±25%
EC54/19	0.480	130.58	271.20	35414	4400±25%
EC59/62	0.391	144.00	367.94	54465	6500±25%